

TECHNICAL SERVICE SHEET

876CHEM FC 2-WP MIXING STATION

876c-2586

✓ PURPOSE & USE

The 2-Way Push Lever Mixing Station is an ASSE 1055 certified chemical proportioner that accurately dilutes chemicals to the required ratios and dispenses into any size container. This venturi injection system uses water pressure (25 - 125 PSI) to draw and blend chemical concentrate into the water stream and precision metering tips to set the dilution ratio for each lever.

✓ FEATURES

- Eliminates the need for manual mixing and optimizes chemical utilization, employee safety and labor efficiency
- Hands-on push lever activation prevents accidental overfilling of containers
- Chemical resistant wetted components ensure years of outstanding performance with minimal maintenance
- Industrial-strength design holds up in tough environments
- The dilution ratio for each lever is set independently
- Water pressure gauge eliminates guessing, reduces set-up time and helps with troubleshooting
- Draws chemical concentrate from any sized container
- Choice of left or right side water inlet
- Mixing stations can be plumbed in series
- Choice of flow rates for filling small to large containers and sinks
 - Bottle Fill (BF), Low Flow (LF), High Flow (HF)
- Certified to ASSE Standard 1055 for backflow prevention



✓ COMPONENTS

- Stainless steel mounting bracket
- Heavy-duty bronze actuation valve
- Polypropylene injector bodies
- Integrated brass hose connection vacuum breakers
- Easy-to-read water pressure gauge for accurate tip selection
- Color-coded metering tips for setting dilution ratios
- Chemical suction tubes with strainers
- Open flow discharge tubes (4.5' for LF/HF, 1' for BF)

876CHEM[®]

A PROFESSIONAL TEAM

Manufacturing Products and Providing Excellent Customer Service and Technical Support to our Clients

CONTACT US

☎ 876 669-8825
876 287-4036

✉ 876chem@gmail.com

📍 157 Old Hope Road, Kgn. 6

TECHNICAL SERVICE SHEET

876CHEM FC 1-WP MIXING STATION

876c-2587

✓ PURPOSE & USE

The 1-Way Push Lever Mixing Station is an ASSE 1055 certified chemical proportioner that accurately dilutes chemical to the required ratio and dispenses into any size container. This venturi injection system uses water pressure (25 - 125 PSI) to draw and blend chemical concentrate into the water stream and precision metering tips to set the dilution ratio.

✓ FEATURES

- Eliminates the need for manual mixing and optimizes chemical utilization, employee safety and labor efficiency
- Hands-on push lever activation prevents accidental overfilling of containers
- Chemical resistant wetted components ensure years of outstanding performance with minimal maintenance
- Industrial-strength design holds up in tough environments
- Dilution ratio controlled with precision metering tips
- Water pressure gauge eliminates guessing, reduces set-up time and helps with troubleshooting
- Draws chemical concentrate from any sized container
- Choice of left or right side water inlet
- Mixing stations can be plumbed in series
- Choice of flow rates for filling small to large containers and sinks
- Certified to ASSE Standard 1055 for backflow prevention



✓ COMPONENTS

- Stainless steel mounting bracket
- Heavy-duty bronze actuation valve
- Polypropylene injector body
- Integrated brass hose connection vacuum breaker
- Easy-to-read water pressure gauge for accurate tip selection
- Color-coded metering tips for setting dilution ratios
- Chemical suction tube with strainer
- Open flow discharge tube (4.5' for LF/HF, 1' for BF)

876CHEM[®]

A PROFESSIONAL TEAM

Manufacturing Products and
Providing Excellent Customer Service
and Technical Support to our Clients

CONTACT US

☎ 876 669-8825
876 287-4036

✉ 876chem@gmail.com

📍 157 Old Hope Road, Kgn. 6

TECHNICAL SERVICE SHEET

876CHEM FC-3-1

876c-2534

✓ PURPOSE & USE

Shampoo, Conditioner, Body Wash Dispenser - 3 Chamber 3x420ml

✓ FEATURES

- Environmental ABS Plastic - Shower soap dispenser wall mounted 3 chamber sturdy and durable. Heat resistant, not easily deformed, no bacterial, anti corrosion, healthy and sanitary to use.
 - LARGE CAPACITY DESIGN - Each Chamber Has A Capacity Of 420 ML. each. Can be refilled or removed, and can contain liquid soap, shampoo, conditioner, etc. You can easily press it to get the right amount without dripping, splashing or wasting
- VISUAL WINDOW DESIGN - This shampoo dispenser for shower has Visual window soap dispenser, convenient for checking the remaining soap and replenishing liquid in time.
- PUSH BUTTON CONVENIENCE - A hygienic solution to all the clutter of shower bottles on your shower floor or shelf or of the kitchen sink or washbasin helps reduce mess and spread of germs.
- WALL-MOUNTED DESIGN - No-drilling wall mounted soap dispenser, it is easy to install by using the adhesive board.
- WIDE RANGE OF USE - Advanced technology coated, smooth and shiny surface, never fade and easy to scrub and clean . Ideal use in bathrooms, kitchens, kindergartens, offices building, schools, hospitals, airports, hotels, restaurants, bank, public restroom and many other high-end places.



Dimensions 11.14"L x 6.22"W x 3.66"H

HOW TO FILL SOAP DISPENSER



Distributed by 876CHEM Limited, 157 Old Hope Rd., Kingston 6, Jamaica

876CHEM
A PROFESSIONAL
TEAM

Manufacturing Products and
Providing Excellent Customer Service
and Technical Support to our Clients

CONTACT US

876 669-8825
876 287-4036
876chem@gmail.com
157 Old Hope Road, Kgn. 6

